




विहादी गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

वहाकी गाउँपालिका



पत्र संख्या : ०७९/०८०
चलानी नं. :

गण्डकी प्रदेश, नेपाल

मिति :-

सूचना नं. : २६

उत्पादक वा अधिकृत विक्रेताद्वारा निर्धारित दरमा (क्याटलग सपिड) विधिबाट सवारी साधन खरिद सम्बन्धी शिलबन्दी प्रस्ताव आह्वानको सूचना ।

प्रथम पटक प्रकाशित मिति: २०७९/१०/१७

यस कार्यालयको लागि देहाय बमोजिमका सवारी साधन खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद ऐन, २०६३ को दफा ८ को उपदफा १(क)८ तथा सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१(ख) बमोजिम उत्पादक वा आधिकारिक विक्रेताहरूबीच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिड) विधि अनुसार सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१(ख) को उपनियम (२) बमोजिम इच्छुक इजाजत पत्र प्राप्त उत्पादक वा अधिकृत विक्रेताहरूले आफ्नो अद्यावधिक फर्म दर्ता प्रमाणपत्र, स्थायी लेखा नम्बर तथा मूल्य अभिवृद्धि कर दर्ता प्रमाणपत्र, एजेन्सी दर्ता प्रमाणपत्र र आ.व. २०७८/०७९ को कर चुक्ता प्रमाणपत्र, उक्त सवारी साधन आपूर्ति गरेको हालसम्मको विवरण, सम्बन्धित कार्य अनुभवको प्रमाणपत्र, उत्पादकको आधिकारिक स्पेशिफिकेशन, मूल्य, गुणस्तर तथा सुविधा सहितको विवरण (क्याटलग वा ब्रोसर) संलग्न राखी यो सूचना प्रकाशित भएको मितिले १६ औं दिनको १२:०० बजेसम्म यस कार्यालयमा शिलबन्दी प्राविधिक प्रस्ताव सहितको निवेदन दर्ता गराउनुहुन सूचित गरिन्छ । नियमानुसार दर्ता हुन आएका शिलबन्दी प्रस्तावहरू, प्रस्ताव पेश गर्ने अन्तिम दिनको १३:०० बजे खोलिनेछ । दर्ता गर्ने तथा खोल्ने दिन सार्वजनिक विदा पर्न गएमा उक्त कार्य विदा लगत्तै कार्यालय खोल्ने दिनको सोही समयमा हुनेछ । स्पेशिफिकेशन यस कार्यालयको वेबसाइट www.bihadimun.gov.np बाट प्राप्त गर्न सकिनेछ । पेश हुन आएका प्रस्तावहरू स्वीकृत गर्ने वा अस्वीकृत गर्ने एवम् खरिद प्रक्रिया जुनसुकै बखतमा रद्द गर्ने अधिकार यस कार्यालयमा निहित हुनेछ ।

देहाय:

सि.नं.	ठेक्का नं.	सवारी साधनको किसिम	सवारी साधनको संख्या	कैफियत
१.	OBRM/PAR/G/CS/01-2079/080	4wd double cab pick up	१ (एक) वटा	उल्लेखित सवारी साधन यस कार्यालयको वेबसाइटमा भएको स्वीकृत स्पेशिफिकेशन बमोजिमको हुनुपर्नेछ ।
२.	OBRM/PAR/G/CS/02-2079/080	Motorcycle 220 (±5) CC	२ (दुई) वटा	
३.	OBRM/PAR/G/CS/03-2079/080	Motorcycle 160 (±5) CC (Wheel base: Not less than 1400 mm)	३ (तिन) वटा	
४.	OBRM/PAR/G/CS/04-2079/080	Motorcycle 160 (±5) CC ((Wheel base: Not less than 1200 mm)	२ (दुई) वटा	

चूर्ण बेहादुर कार्की
प्रमुख प्रशासकीय अधिकृत

Technical specification for 4wd double cab pickup

Quantity:-01unit

S.N.	Criteria	Requirement	Offered Specification
1	General	Four Door, Right Hand Drive diesel engine 4WD Double Cab pickup suitable for driving both in ON ROAD conditions providing smooth economic performance and in OFF-ROAD conditions capable of delivering strong adequate traction and stability needed for safe driving in rough and hilly road conditions in Nepal at an altitude upto 2000 meter and in ambient temperature between -5 to 50 degree centigrade. Gross Vehicle Weight (GVW) of the vehicle shall not be less than 2700 kg and shall have seating capacity for 5 passengers including driver.	
2	Engine	4-stroke, 4 cylinder (more than 2200cc) water cooled diesel engine, developing maximum rated power output not less than 40 KW and Maximum Torque should not be less than 190 Nm at governed rpm engine equipped with accessories for efficient full load operation of 4WD Pickup at operating conditions, cold starting device, direct electric starting system, heavy duty fuel filter,	
3	Gauges	To include ammeter, water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, signals for 4WD, door lock signal etc.	
4	Emission standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by Nepal Vehicle Mass Emission Standard 2069, which is to be certified by Department of Transport Management.	
5	Clutch	Single plate, Dry Friction	
6	Transmission	Mechanical Five forward speed and one reverse, all forward synchromesh, 4WD engaged through control at driver seat.	
7	Ground clearance	High ground clearance preferred, minimum 200mm	
8	Suspension	Double wishbone/ Torsion bar/ Telescopic shock absorber/Anti roll bar/stabilizer bar/hydraulic double acting/ five link type suspension/Macpherson/ Multi-link coil/leaf spring.	
9	Turning Radius	Maximum Turning Radius not more than 7m.	
10	Wheels and Tires	Standard type Road and cross country type Wheel Base : Not less than 2900 mm	
11	Steering	Power assisted/Power steering	
12	Brakes	Front : Ventilated disc type Rear : Disc/Drum type Hydraulic operated on all wheels, and parking brake, dual circuit preferred.	
13	Cab	4 side door, all metallic cab with insulated rook, right hand drive, laminated glass windscreen, washers and wipers, glass window on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Floor mats, two sun visors, and two side view mirrors. Rear Body to be metallic, pickup type with drop type tail board.	
14	Chasis and frame	<ul style="list-style-type: none"> Steel, heavy duty suitable for rough road conditions Towing hook 	
15	Pay Load	Not less than 900 kg.	
16	Fuel Tank	Not less than 45 Liters.	
17	Essential	1. Head light, tail and rear light, reversing light and	



गाउँपालिका
कार्यपालिकाको कार्यालय
बहाकीठाँटी, पर्वत
गण्डकी प्रदेश, नेपाल
२०७३



[Handwritten signature]
२०७३

	Accessories	turn signals. 2. Cabin lights 3. Speedometer/Odometer 4. Spare wheel with tire 5. Suitable Jack with handle 6. Front seat belt for driver and co-passenger with information on dashboard. 7. Audio system with SUB,AUX Radio FM, AM others. 8. Rubber mats 9. Side steps 10. 12V chargin sockets. To be equipped with all accessories offered in standard model but not limited to the above items.	
18	Instructions	All signs and instructions in the vehicle shall be in English.	
19	Manuals	One copy of the operator's and owner's Instructions and Maintenance manual in English shall be supplied with each vehicle.	
20	Tools	A set of tools as required for general maintenance shall be supplied.	
21	Color	Standard color.	
22	Proven Performance	1. The machine offered shall be a current (latest) model under standard production by the manufacturer for at least one year. 2. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine and production capacity of the unit.	
23	Warranty	Manufacturer shall provide a minimum of one-year warranty after acceptance.	
24	Delivery	The 4 wheel Drive Double Cab Pickup-1 unit and its spare parts shall be delivered to : Office of the Rural Municipal Executive Bihadi Rural Municipality, Bahakithanti, Parbat Gandaki Province, Nepal	

Note:

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.



Name : Samina Pun

Mechanical Engineer

[Handwritten signature]
2073/95



[Handwritten signature]
2073/96
चर्ण बहादुर कार्की
प्रमुख प्रशासकीय अधिकृत

Technical Specifications for Motorcycle 160 (± 5)cc

S. N.	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1.	General	Motorcycle suitable for normal and rough road driving in Nepal at an altitude up to 2000 m and in ambient temperature -5 to 50 degree centigrade. Kerb Vehicle Weight shall not be less than 140 kg and shall have seating capacity for at least 2 passenger including driver. Fuel Tank Capacity should not be less than 12 Litre.	Manufacture: Model: Country of Origin:
2.	Engine	4-stroke, single cylinder, SI Engine, air cooled, 160 (±5)cc, petrol engine, developing maximum rated power output not less than 14.5 ps at governed RPM & Torque not less than 13.5 Nm, shall fully equipped with accessories for efficient full load operation of the Motorcycle.	
3.	Emission Standard	The emission standard of the vehicle should be of Nepal Vehicle Mass Emission Standard - 2069 which is to be certified by Department of Transport Management, Nepal.	
4.	Gauges	To include speedometer, fuel etc as necessary for efficient operation and maintenance.	
5.	Clutch	Multi plate wet plate	
6.	Transmission	Manual shift at least 4 forward	
7.	Ground clearance	High Ground clearance preferred, minimum 160 mm.	
8.	Suspension	Front - Telescopic hydraulic shock absorbers Rear- Swing arm/Spring loaded Hydraulic shock/Monoshock/Nitrox Shock	
9.	Tires	Standard Size, factory fitted tubeless	
10.	Starting	kick or Self starter or both kick/Self starter	
11.	Brake	Front: Disc; Rear: Disc or Drum	
12.	Wheel Base	Not less than 1400mm	
13.	Chassis frame	Steel, heavy duty	
14.	Body Type	Cruiser Bikes	
15.	Essential Accessories	1. Head light, tail and rear light, 2. Turn signal 3. Speedometer	
16.	Instruction	All signs and instructions in the vehicle shall be in English	
17.	Manuals	Copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle	
18.	Color	Standard color	
19.	Proven performance	The motor cycle offered shall be standard production by manufacturer and should be current model..	
20.	Warranty	Manufacturer shall provide a minimum of Two year warranty after acceptance	
21.	Delivery	Three units of motorcycle shall be delivered to: Office of the Rural Municipal Executive Bihadi Rural Municipality, Bahakithanti, Parbat Gandaki Province, Nepal	
22.	After Sales Services	Atleast Five(5) times free service coupon after delivery	

Note:

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.

Name : Samina Pun
Mechanical Engineer



यजुषको १६ काँ
१२२६ दिर अधिकत

Technical Specifications for Motorcycle 160 (±5)cc

S. N.	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1.	General	Motorcycle suitable for normal and rough road driving in Nepal at an altitude up to 2000 m and in ambient temperature -5 to 50 degree centigrade. Kerb Vehicle Weight shall not be less than 140 kg and shall have seating capacity for at least 2 passenger including driver. Fuel Tank Capacity should not be less than 12 Litre.	Manufacture: Model: Country of Origin:
2.	Engine	4-stroke, single cylinder, SI Engine, air cooled, 160 (±5)cc, petrol engine, developing maximum rated power output not less than 14.5 ps at governed RPM & Torque not less than 13.5 Nm, shall fully equipped with accessories for efficient full load operation of the Motorcycle.	
3.	Emission Standard	The emission standard of the vehicle should be of Nepal Vehicle Mass Emission Standard - 2069 which is to be certified by Department of Transport Management, Nepal.	
4.	Gauges	To include speedometer, fuel etc as necessary for efficient operation and maintenance.	
5.	Clutch	Multi plate wet plate	
6.	Transmission	Manual shift at least 4 forward	
7.	Ground clearance	High Ground clearance preferred, minimum 160 mm.	
8.	Suspension	Front - Telescopic hydraulic shock absorbers Rear- Swing arm/Spring loaded Hydraulic shock/Monoshock/Nitrox Shock	
9.	Tires	Standard Size, factory fitted tubeless	
10.	Starting	kick or Self starter or both kick/Self starter	
11.	Brake	Front: Disc; Rear: Disc or Drum	
12.	Wheel Base	Not less than 1200mm	
13.	Chassis frame and Body	Steel, heavy duty /Sports Type	
14.	Essential Accessories	1. Head light, tail and rear light, 2. Turn signal 3. Speedometer	
15.	Instruction	All signs and instructions in the vehicle shall be in English	
16.	Manuals	Copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle	
17.	Color	Standard color	
18.	Proven performance	The motor cycle offered shall be standard production by manufacturer and should be current model..	
19.	Warranty	Manufacturer shall provide a minimum of Two year warranty after acceptance	
20.	Delivery	Two units of motorcycle shall be delivered to: Office of the Rural Municipal Executive Bihadi Rural Municipality, Bahakithanti, Parbat Gandaki Province, Nepal	
21.	After Sales Services	Atleast Five(5) times free service coupon after delivery	

Note:

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.

Name : Samina Pun
Mechanical Engineer



Date: 19/09/2019
Signature: [Handwritten Signature]
Name: Samina Pun
Designation: Mechanical Engineer

Technical Specifications for Motorcycle 220 (±5)cc

S. N.	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1.	General	Motorcycle suitable for normal and rough road driving in Nepal at an altitude up to 2000 m and in ambient temperature -5 to 50 degree centigrade. Kerb Vehicle Weight shall not be less than 140 kg and shall have seating capacity for at least 2 passenger including driver. Fuel Tank Capacity should not be less than 12 Litre.	Manufacture: Model: Country of Origin:
2.	Engine	4-stroke, single cylinder, SI Engine, air cooled, 220(±5)cc, petrol engine, developing maximum rated power output not less than 18ps at governed RPM & Torque not less than 16Nm, shall fully equipped with accessories for efficient full load operation of the Motorcycle.	
3.	Emission Standard	The emission standard of the vehicle should be of Nepal Vehicle Mass Emission Standard - 2069 which is to be certified by Department of Transport Management, Nepal.	
4.	Gauges	To include speedometer, fuel etc as necessary for efficient operation and maintenance.	
5.	Clutch	Multi plate wet plate	
6.	Transmission	Manual shift at least 4 forward	
7.	Ground clearance	High Ground clearance preferred, minimum 160 mm.	
8.	Suspension	Front - Telescopic hydraulic shock absorbers Rear- Swing arm/Spring loaded Hydraulic shock/Monoshock/Nitrox Shock	
9.	Tires	Standard Size, factory fitted tubeless	
10.	Starting	kick or Self starter or both kick/Self starter	
11.	Brake	Front: Disc; Rear: Disc or Drum	
12.	Wheel Base	Not less than 1200mm	
13.	Chassis frame	Steel, heavy duty	
14.	Body Type	Cruiser Bikes	
15.	Essential Accessories	1. Head light, tail and rear light, 2. Turn signal 3. Speedometer	
16.	Instruction	All signs and instructions in the vehicle shall be in English	
17.	Manuals	Copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle	
18.	Color	Standard color	
19.	Proven performance	The motor cycle offered shall be standard production by manufacturer and should be current model..	
20.	Warranty	Manufacturer shall provide a minimum of Two year warranty after acceptance	
21.	Delivery	Two units of motorcycle shall be delivered to: Office of the Rural Municipal Executive Bihadi Rural Municipality, Bahakithanti, Parbat Gandaki Province, Nepal	
22.	After Sales Services	Atleast Five(5) times free service coupon after delivery	

Note:

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.



Name : Samina Pun
Mechanical Engineer



यसको लागि
प्रमाणित
अधिकृत